Author Index

ABRAHAM G.N. *see* MOYNIHAN J.A.

ACRES R.B., LAMB J.R. & FELDMANN M. Effects of platelet-derived growth factor and epidermal growth factor on antigen-induced proliferation of human T-cell lines, 9

AGGARWAL A., CUNA W., HAQUE A., DISSOUS C. & CAPRON A. Resistance against *Brugia malayi* microfilariae induced by a monoclonal antibody which promotes killing by macrophages and recognizes surface antigen(s), 655

AISO S. *see* TSURU S.

ANDREW E.M., MACKENZIE N.M. & PARKHOUSE R.M.E. Functional differences associated with quantitative distribution of membrane immunoglobulin, Fc receptors and Ia on mouse B cells, 233

APPLEBY P. & CATTY D. Quantitative and spectrotypic analysis of paternal IgG2a expression in normal and allotype-suppressed mice, 429

ASHERSON G.L., COLIZZI V. & JAMES B.M. The control of the contact sensitivity skin reaction: T-suppressor afferent cell blocks the production of antigen-specific T-helper factor, 521

ASHMAN L.K. *see* GADD S.J.

ASKONAS B.A. *see* TAYLOR P.M.

ASPINALL R. & STERN P.L. Analysis of the xenogeneic T-cell response to murine H-2 negative embryonal carcinoma cells, 549

AUSTEN K.F. *see* CZOP J.K.

AVERY J. *see* LEHNER T.

BACON P.A. *see* SALMON M.

BAILEY M.J. *see* PENN C.W.

BARNETT E.V. *see* KNUTSON D.W.

BARR K. *see* RUBEN L.N.

BAXEVANIS C.N., PEREZ S., KOKKINOPOULOS D. & PAPAMICHAIL M. The biological effect of three thymosin fraction 5 polypeptides in the murine mixed lymphocyte reaction, 723

BAZIN H., PLATTEAU B., MACLENNAN I.C.M. & JOHNSON G.D. B-cell production and differentiation in adult rats, 79

BAZIN H. *see* ROLSTAD B.

BEFUS A.D. *see* EGWANG T.G.

BEH K.J. The antibody-containing cell response of the lamina propria of the sheep and the uptake of soluble antigen into afferent ileal lymph following intra-intestinal infusion of soluble or particulate antigen, 479

BEH K.J. & LASCELLES A.K. The effect of adjuvants and prior immunization on the rate and mode of uptake of antigen into afferent popliteal lymph from sheep, 487

BERG P. *see* FALCIONI F.

BERTON G., CASSATELLA M., CABRINI G. & ROSSI F. Activation of mouse macrophages causes no change in expression and function of phorbol diesters' receptors, but is accompanied by alterations in the activity and kinetic parameters of NADPH oxidase, 371

BIASI G. *see* RONCHESE F.

BIJSTERBOSCH M.K. *see* KLAUS G.G.B.

BINNS R.M., PABST R. & LICENCE S.T. Lymphocyte emigration from lymph nodes by blood in the pig and efferent lymph in the sheep, 105

BOURNE F.J. *see* WIDDERS P.R.

BOUSHIRA M. *see* WAINBERG M.A.

BRANDON M.R. *see* JEFFERIES W.A.

BRATTIG N. *see* FALCIONI F.

BRETTI S. *see* COMOGLIO P.M.

BRIFFAUT O. *see* CHAOUAT G.

BRITTLE M.P., JACOB M.C., GOMER K. & ROBERTSON D. Induced type-B reticulum cell neoplasia of CBA mice. I. Phenotypic similarities between tumorigenic reticulum cells and normal accessory cells, 541

BROCK J.H. *see* MAINOU-FOWLER T.

BROEKHUIZEN R. *see* DE MAAGD R.A.

BROGAN M.P. *see* GADD S.J.

BROOKS W.H. *see* JACKSON J.C.

BUENAFE A. *see* RUBEN L.N.

BUTS J.-P. & DELACROIX D.L. Ontogenic changes in secretory component expression by villous and crypt cells of rat small intestine, 181

CABRINI G. *see* BERTON G.

CALLUS M. *see* SPITZ M.

CAPRON A. *see* AGGARWAL A.

CASSATELLA M. *see* BERTON G.

CASTRO G.A. *see* RUSSELL D.A.

CATTY D. *see* APPLEBY P.

CERUNDOLO V. *see* RONCHESE F.

CHAMPION B.R., VAREY A.M., KATZ D., COOKE A. & ROITT I.M. Autoreactive T-cell lines specific for mouse thyroglobulin, 513

CHAMPION B.R. *see* MALE D.K.

CHAOUAT G., LIACOPOULOS-BRIOT M., COUDERC J., PARLEBAS J., PERRODON Y., BRIFFAUT O. & LIACOPOULOS P. Selection of BW 5147 subclones devoid of non-specific suppressive activity for use in cell hybridization 363

CHAPUIS F. *see* TRIEBEL F.

CHARRON D. *see* TRIEBEL F.

CHEERS C. *see* WOOD P.

CHIA D. *see* KNUTSON D.W.

CLARKSON C.A. *see* SYMONS D.B.A.

COCKAYNE A. *see* PENN C.W.

COLIZZI V. *see* ASHERSON G.L.

COLLAVO D. *see* RONCHESE F.

COMMES T. *see* JOURDAN M.

COMOGLIO P.M., PRAT M. & BRETTI S. Enhancement of immunity against RSV-induced sarcomas by generation of hapten-reactive helper T lymphocytes, 289

COOKE A. *see* CHAMPION B.R.

COOKE A. *see* HUTCHINGS P.

COUDERC J. *see* CHAOUAT G.

COUPLAND K. *see* LESLIE R.G.Q.

COUTELIER J.P. & VAN SNICK J. Binding of *in vivo* formed immune complexes by monoclonal mouse rheumatoid factors, 401
CROSS R.J. *see* JACKSON J.C.
CUNA W. *see* AGGARWAL A.
CZOP J.K., KADISH J.L., ZEPF D.M. & AUSTEN K.F. Identification with monoclonal antibodies of different regions of human plasma fibronectin, including that which interacts with human monocyte fibronectin receptors, 407

DAHA M.R. *see* VEERHUIS R.
DAISS J. *see* KOWALCZYK K.
DAVID J.S.E. *see* WIDDERS P.R.
DAVIES A.J.S. *see* SPARSHOTT S.M.
DEBRE P. *see* TRIEBEL F.
DEGEBRODT A. *see* HOLT P.G.
DELACROIX D. *see* VAERMAN J.-P.
DELACROIX D.L. *see* BUTS J.-P.
DEMARTINI J.C. *see* ELLIS J.A.
DE MEY J. *see* HEINEN E.
DERESKI W. & PETTY H.R. Role of macrophage cell surface sulphydryl groups in endocytosis, but not recognition of immune complexes, 397
DE RIJCK-LANGENDRIES A. *see* VAERMAN J.-P.
DIERICH M.P. *see* SCHULZ T.F.
DIJKSTRA C.D., DÖPP E.A., JOLING P. & KRAAL G. The heterogeneity of mononuclear phagocytes in lymphoid organs: distinct macrophage subpopulations in the rat recognized by monoclonal antibodies ED1, ED2 and ED3, 589
DISSOUS C. *see* AGGARWAL A.
DÖPP E.A. *see* DIJKSTRA C.D.
DUNKLEY M.L. *see* HUSBAND A.J.
DYE E.S. *see* NORTH R.J.

EDWARDS S. *see* JAMES R.F.L.
EGWANG T.G., BEFUS A.D. & GAULDIE J. Activation of alveolar macrophages following infection with the parasitic nematode *Nippostrongylus brasiliensis*, 581
EICHMANN K. *see* MOLL H.
ELLIOTT G.R. *see* VERBRUGH H.A.
ELLIS J.A & DEMARTINI J.C. Ovine concanavalin A-induced suppressor cells: generation, assay, age-related effects and re-evaluation of mechanism of suppression, 353
VAN ES L.A. *see* VEERHUIS R.
ESKEW M.L., SCHOLZ R.W., REDDY C.C., TODHUNTER D.A. & ZARKOWER A. Effects of vitamin E and selenium deficiencies on rat immune function, 173

FALCIONI F., PAWELEC G., BRATTIG N., SCHNEIDER E.M., BERG P. & WERNET P. Functionally distinct human T-lymphocyte clones sharing potent suppressive activity on immunoglobulin secretion, 685
FARRELL H. *see* HOLT P.G.
FELDMANN M. *see* ACRES R.B.
FELDMANN M. *see* JAMES R.F.L.
FERRANTE A. Inhibition of human neutrophil locomotion by the polyamine oxidase-polyamine system, 785
FLEXMAN J. *see* HOLT P.G.
FORD W.L. *see* ROLSTAD B.
FORD W.L. *see* SPARSHOTT S.M.
FORRESTER J.A. *see* SPARSHOTT S.M.
FOSSUM S. *see* ROLSTAD B.
FRANK R.M. *see* WACHSMANN D.
FREUND M. & PICK E. The mechanism of action of lymphokines. VIII. Lymphokine-enhanced spontaneous hydrogen peroxide production by macrophages, 35
FUMOUX F., TRAORE-LEROUX T., QUEVAL R., PINDER M. & ROELANTS G.E. High and low responsiveness of bovine lymphocytes to *Trypanosoma brucei in vitro*: lack of correlation with resistance to trypanosomiasis, 195

GADD S.J., BROGAN M.P. & ASHMAN L.K. Specificity of the passive antibody-induced suppression of the humoral immune response of mice to surface antigens on human cells, 223
GAULDIE J. *see* EGWANG T.G.
GEARING A. *see* SPITZ M.
GENG L. *see* YASUMIZU R.
GLUCKMAN J.-C. *see* TRIEBEL F.
GOETZL E.J. *see* GOLDMAN D.W.
GOLDMAN D.W., HANNAH A.L. & GOETZL E.J. Inhibition of human neutrophil receptor-mediated uptake of N-formyl-met-leu-phe by platelet factor 4 (59–70), 163
GOMER K. *see* BRITTLE M.P.
GONZALEZ-CRUSSI F. *see* HSUEH W.
GOOD R.A. *see* POLLACK S.

HALL F.J. *see* SYMONS D.B.A.
HALPERN J. *see* KOWALCZYK K.
HAMMARSTRÖM L., PERSSON M.A.A. & SMITH C.I.E. Immunoglobulin subclass distribution of human anti-carbohydrate antibodies: aberrant pattern in IgA-deficient donors, 821
HANNAH A.L. *see* GOLDMAN D.W.
HAQUE A. *see* AGGARWAL A.
HAYASHI H. *see* HIRASHIMA M.
HEINEN E., RADOUX D., KINET-DENOEL C., MOEREMANS M., DE MEY J. & SIMAR L.J. Isolation of follicular dendritic cells from human tonsils and adenoids. III. Analysis of their F_c receptors, 777
HENDERSON B. *see* LAKE R.A.
HILL J.L. *see* OGASAWARA M.
HIRASHIMA M., SAKATA K., TASHIRO K., YOSHIMURA T. & HAYASHI H. Dexamethasone suppresses concanavalin A-induced production of chemotactic lymphokines by releasing a soluble factor from splenic T lymphocytes, 533
HOFFMANN M.K. *see* POLLACK S.
HOIDAL J.R. *see* VERBRUGH H.A.
HOLLANDER N. & SHEPSHALOVICH J. The functional association of Lyt antigens with lymphokine production, 25
HOLT, P.G., DEGEBRODT A., VENAILLE T., O'LEARY C., KRSKA K., FLEXMAN J., FARRELL H., SHELLAM G., YOUNG P., PENHALE J., ROBERTSON T. & PAPADIMITRIOU J.M. Preparation of interstitial lung cells by enzymatic digestion of tissue slices: preliminary characterization by morphology and performance in functional assays, 139
HSUEH W., JORDAN R.L. & GONZALEZ-CRUSSI F. Rabbit lymphocyte factors modulate prostaglandin biosynthesis in alveolar macrophages, 155
HUNT S.V. *see* JEFFERIES W.A.
HURME M. *see* VARKILA K.

HUSBAND A.J. & DUNKLEY M.L. Lack of site of origin effects on distribution of IgA antibody-containing cells, 215
HUSBAND A.J. *see* SHELDRAKE R.F.
HUTCHINGS P., NAOR D. & COOKE A. Effects of low doses of cyclophosphamide and low doses of irradiation on the regulation of induced erythrocyte autoantibodies in mice, 97

ITO K. *see* TAJIMA S.
IWABUCHI K. *see* YASUMIZU R.

JACKSON J.C., CROSS R.J., WALKER R.F., MARKESBERY W.R., BROOKS W.H. & ROSZMAN T.L. Influence of serotonin on the immune response, 505
JACOB M.C. *see* BRITTLE M.P.
JAMES B.M. *see* ASHERSON G.L.
JAMES R.F.L., SUNSHINE G.H., EDWARDS S., MAUDSLEY D.J. & FELDMANN M. Augmentation of cell-mediated responses *in vitro* by a monoclonal anti-helper factor antibody, 693
JEFFERIES W.A., BRANDON M.R., WILLIAMS A.F. & HUNT S.V. Analysis of lymphopoietic stem cells with a monoclonal antibody to the rat transferrin receptor, 333
JOHNSON G.D. *see* BAZIN H.
JOLING P. *see* DIJKSTRA C.D.
JONES T. *see* LEHNER T.
JORDAN R.L. *see* HSUEH W.
JOURDAN M., COMMES T. & KLEIN B. Control of human T-colony formation by interleukin-2, 249

KADISH J.L. *see* CZOP J.K.
KAI C., YOSHIKAWA Y., YAMANOUCHI K., OKADA H. & MORIKAWA S. Ontogeny of the third component of complement of Japanese quails, 463
KATER L. *see* DE MAAGD R.A.
KATO N., KIDO N., OHTA M. & NAITO S. Comparative studies on adjuvanticity of *Klebsiella* O3 lipopolysaccharide and its lipid A and polysaccharide fractions, 317
KATZ D. *see* CHAMPION B.R.
KEANE W.K. *see* VERBRUGH H.A.
KIDO N. *see* KATO N.
KIEVITS F. & KUILSTRA A. Inhibition of C3 deposition on solid-phase bound immune complexes by lactoferrin, 449
KUILSTRA A. *see* KIEVITS F.
KIMBER I. *see* ROLSTAD B.
KINET-DENOEL C. *see* HEINEN E.
KLAUS G.G.B., BUSTERBOSCH M.K. & PARKHOUSE R.M.E. Activation and proliferation signals in mouse B cells. V. A comparison of the effects of intact (IgG) and F(ab′)$_2$ anti-μ or anti-δ antibodies, 677
KLEIN B. *see* JOURDAN M.
KLEIN J.P. *see* WACHSMANN D.
KNUTSON D.W., CHIA D., BARNETT E.V. & LEVY L. Blood clearance and tissue localization of soluble aggregates of IgG in NZB/W and NZB mice, 439
KOBAYASHI S. *see* OGASAWARA M.
KOKKINOPOULOS D. *see* BAXEVANIS C.N.
KONO D.K. *see* OGASAWARA M.
KOWALCZYK K., DAISS J., HALPERN J. & ROTH T.F. Quantitation of maternal-fetal IgG transport in the chicken, 755
KOZINER B. *see* POLLACK S.
KRAAL G. *see* DIJKSTRA C.D.
KRSKA K. *see* HOLT P.G.

LAKE R.A., MORGAN A., HENDERSON B. & STAINES N.A. A key role for fibronectin in the sequential binding of native dsDNA and monoclonal anti-DNA antibodies to components of the extracellular matrix: its possible significance in glomerulonephritis, 389
LAMB J.R. *see* ACRES R.B.
LAMBRIS J.D. *see* SCHULZ T.F.
LAPPIN D. & WHALEY K. Requirement for cations in the stimulation of C2 synthesis by human monocytes, 457
LASCELLES A.K. *see* BEH K.J.
LEE D.A. *see* VERBRUGH H.A.
LEHNER T., AVERY J. & JONES T. Separation and characterization of a subset of human T8$^+$ cells which function as antigen-presenting and contrasuppressor cells, 713
LEHNER T., AVERY J. & SMITH R. Helper and suppressor functions of human mononuclear cells depleted of antigen-binding T8$^+$ cells, 701
LESLIE R.G.Q. & COUPLAND K. The ingestion and degradation of soluble immune complexes by guinea-pig macrophages and neutrophils, 811
LEVY L. *see* KNUTSON D.W.
LIACOPOULOS P. *see* CHAOUAT G.
LIACOPOULOS-BRIOT M. *see* CHAOUAT G.
LICENCE S.T. *see* BINNS R.M.
LOONEY R.J. *see* MOYNIHAN J.A.
LUKAS D. *see* RUBEN L.N.

MCINTOSH D.P. *see* SPARSHOTT S.M.
MACKENZIE N.M. *see* ANDREW E.M.
MACKENZIE W.A. *see* DE MAAGD R.A.
MACLENNAN I.C.M. *see* BAZIN H.
DE MAAGD R.A., MACKENZIE W.A., SCHUURMAN H.-J., RITTER M.A., PRICE K.M., BROEKHUIZEN R. & KATER L. The human thymus microenvironment: heterogeneity detected by monoclonal anti-epithelial cell antibodies, 745
MAINOU-FOWLER T. & BROCK J.H. Effect of iron deficiency on the response of mouse lymphocytes to concanavalin A: the importance of transferrin-bound iron, 325
MAK N.K. & SANDERSON C.J. The T-cell mediated immune response to *Schistosoma mansoni*. I. Generation of stage-specific, MHC-restricted proliferative T-cell clones to soluble egg antigens, 625
MALE D.K., CHAMPION B.R., PRYCE G., MATTHEWS H. & SHEPHERD P. Antigenic determinants of human thryoglobulin differentiated using antigen fragments, 419
MALLEY A. *see* RUBEN L.N.
MARGOLESE R.G. *see* WAINBERG M.A.
MARKESBERY W.R. *see* JACKSON J.C.
MARSHALL J. *see* ROLSTAD B.
MATTHEWS H. *see* MALE D.K.
MATTHEWS R., SCOGING A. & REES A.D.M. Mycobacterial antigen-specific human T-cell clones secreting macrophage activating factors, 17
MAUDSLEY D.J. *see* JAMES R.F.L.
MERTIN L.A., SLJIVIC & RUMJANEK V.M. The effect of sensitization of pregnant Lewis rats with encephalitogen on the subsequent susceptibility of their offspring to allergic encephalomyelitis, 381
MICHAELSEN T.E. *see* WIGER D.

MOEREMANS M. *see* HEINEN E.
MOLL H., EICHMANN K. & SIMON M.M. Immunoregulation by mouse T-cell clones. II. The same H-Y-specific T helper clone can provide help for the generation of cytotoxic lymphocytes and antibody-secreting cells, 255
MORGAN A. *see* LAKE R.A.
MORIKAWA K. *see* YASUMIZU R.
MORIKAWA S. *see* KAI C.
MOYNIHAN J.A., LOONEY R.J. & ABRAHAM G.N. The V_KIIIb light chain sub-subgroup: restricted association with mu heavy chain in normal human serum, 207

NAITO S. *see* KATO N.
NAKANO K. *see* NAKANO Y.
NAKANO Y. & NAKANO K. Different cellular requirements for inducing contact sensitivity and non-specific unresponsiveness with hapten-conjugated lymphoid cells, 307
NAKANO Y. & NAKANO K. Non-specific regulatory mechanism of contact sensitivity: induction of macrophage-like suppressor cells and their factors with hapten-conjugated lymphoid cells, 297
NAOR D. *see* HUTCHINGS P.
NISHIMURA N. *see* TAJIMA S.
NOMOTO K. *see* TSURU S.
NORTH R.J. & DYE E.S. Ly 1^+2^- suppressor T cells down-regulate the generation of Ly 1^-2^+ effector T cells during progressive growth of the P815 mastocytoma, 47

OGASAWARA M., KOBAYASHI S., HILL J.L., KONO D.H. & YU D.T.Y. Rabbit antisera against three different bacteria which can induce reactive arthritis: analysis by ELISA, immunoprecipitation and Western Blot, 665
OGASAWARA M. *see* YASUMIZU R.
OHTA M. *see* KATO N.
OKADA H. *see* KAI C.
O'LEARY C. *see* HOLT P.G.
OLIVER S. *see* RUBEN L.N.
ONOÉ K. *see* YASUMIZU R.

PABST R. *see* BINNS R.M.
PAPADIMITRIOU J.M. *see* HOLT P.G.
PAPAMICHAIL M. *see* BAXEVANIS C.N.
PARKHOUSE R.M.E. *see* ANDREW E.M.
PARKHOUSE R.M.E. *see* KLAUS G.G.B.
PARLEBAS J. *see* CHAOUAT G.
PARROTT D.M.V. *see* SHIELDS J.G.
PAWELEC G. *see* FALCIONI F.
PENHALE J. *see* HOLT P.G.
PENN C.W., BAILEY M.J. & COCKAYNE A. The axial filament antigen of *Treponema pallidum*, 635
PEREZ S. *see* BAXEVANIS C.N.
PERRODON Y. *see* CHAOUAT G.
PERSSON M.A.A. *see* HAMMARSTRÖM L.
PETERSON P.K. *see* VERBRUGH H.A.
PETTY H.R. *see* DERESKI W.
PICK E. *see* FREUND M.
PINDER M. *see* FUMOUX F.
PLATTEAU B. *see* BAZIN H.
POLLACK S., REISNER Y., KOZINER B., GOOD R.A. & HOFFMANN M.K. B-cell function in common immunodeficiency: suppression of *in vitro* anti-sheep erythrocytes antibody production by T cells and monocytes, 89
PRAT M. *see* COMOGLIO P.M.
PRICE K.M. *see* DE MAAGD R.A.
PROUVOST-DANON A. *see* RESTUM-MIGUEL N.
PRYCE G. *see* MALE D.K.

QUEVAL R. *see* FUMOUX F.

RADOUX D. *see* HEINEN E.
REDDY C.C. *see* ESKEW M.L.
REES A.D.M. *see* MATTHEWS R.
REISNER Y. *see* POLLACK S.
RESTUM-MIGUEL N. & PROUVOST-DANON A. Effects of mutiple oral dosing on IgE synthesis in mice: oral sensitization by albumin extracts from seeds of Jack fruit (*Artocarpus integrifolia*) containing lectins, 497
RIEBER P. *see* SCHULZ T.F.
RIETHMÜLLER G. *see* SCHULZ T.F.
RITS M. *see* VAERMAN J.-P.
RITTER M.A. *see* DE MAAGD R.A.
ROBERTSON D. *see* BRITTLE M.P.
ROBERTSON T. *see* HOLT P.G.
ROELANTS G.E. *see* FUMOUX F.
ROITT I.M. *see* CHAMPION B.R.
ROLSTAD B., FOSSUM S., BAZIN H., KIMBER I., MARSHALL J., SPARSHOTT S.M. & FORD W.L. The rapid rejection of allogeneic lymphocytes by a non-adaptive, cell-mediated mechanism (NK activity), 127
RONCHESE F., COLLAVO D., ZANOVELLO P., CERUNDOLO V. & BIASI G. Reversibility of lymphokine-induced NK-like activity in virus-specific cytotoxic T-lymphocyte clones, 265
ROSSI F. *see* BERTON G.
ROSZMAN T.L. *see* JACKSON J.C.
ROTH T.F. *see* KOWALCZYK K.
RUBEN L.N., BUENAFE A., OLIVER S., MALLEY A., BARR K. & LUKAS D. Suppression in *Xenopus laevis*: thymus inducer, spleen effector cells, 65
RUMJANEK V.M. *see* MERTIN L.A.
RUSSELL D.A. & CASTRO G.A. Anaphylactic-like reaction of small intestinal epithelium in parasitized guinea-pigs, 573

SAKATA K. *see* HIRASHIMA M.
SALMON M., BACON P.A., SYMMONS D.P.M. & WALTON K.W. Transferrin receptor expression by stimulated cells in mixed lymphocyte culture, 559
SANDERSON C.J. & STRATH M. Isolation of specific antigen-reactive T-cell clones from nude (nu/nu) mice infected with *Mesocestoides corti*, 275
SANDERSON C.J. *see* MAK N.K.
SANDERSON C.J. *see* WARREN D.J.
SCHARFENBERGER H. *see* SCHULZ T.F.
SCHNEIDER E.M. *see* FALCIONI F.
SCHÖLLER M. *see* WACHSMANN D.
SCHOLZ R.W. *see* ESKEW M.L.
SCHULZ T.F., SCHARFENBERGER H., LAMBRIS J.D., RIEBER P., RIETHMÜLLER G. & DIERICH M.P. Antigenic relationship between the alpha-chain of C3, a leucocyte-surface antigen involved in the activation of phagocytic cells, and a 50,000 MW B-cell antigen, 791
SCHUURMAN H.-J. *see* DE MAAGD R.A.
SCICCHITANO R. *see* SHELDRAKE R.F.
SCOGING A. *see* MATTHEWS R.

SHELDRAKE R.F., SCICCHITANO R. & HUSBAND A.J. The effect of lactation on the transport of serum-derived IgA into bile of sheep, 471
SHELLAM G. *see* HOLT P.G.
SHEPHERD P. *see* MALE D.K.
SHEPSHALOVICH J. *see* HOLLANDER N.
SHIELDS J.G. & PARROTT D.M.V. Appearance of delayed-type hypersensitivity effector cells in murine gut mucosa, 771.
SIMAR L.J. *see* HEINEN E.
SIMON M.M. *see* MOLL H.
SLJIVIC V. *see* MERTIN L.A.
SMITH C.I.E. *see* HAMMARSTRÖM L.
SMITH R. *see* LEHNER T.
SPARSHOTT S.M., FORRESTER J.A., MCINTOSH D.P., WOOD C., DAVIES A.J.S. & FORD W.L. The carriage and delivery of substances to lymphatic tissues by recirculating lymphocytes. I. The concentration of ricin in lymphocyte traffic areas, 731
SPARSHOTT S.M. *see* ROLSTAD B.
SPIRA B. *see* WAINBERG M.A.
SPITZ L. *see* SPITZ M.
SPITZ M., GEARING A., CALLUS M., SPITZ L. & THORPE R. Interleukin-2 *in vivo*: production of and response to interleukin-2 in lymphoid organs undergoing a primary immune response to heterologous erythrocytes, 527
STAINES N.A. *see* LAKE R.A.
STERN P.L. *see* ASPINALL R.
STOKES C.R. *see* WIDDERS P.R.
STRATH M. *see* SANDERSON C.J.
SUNSHINE G.H. *see* JAMES R.F.L.
SYMMONS D.P.M. *see* SALMON M.
SYMONS D.B.A., CLARKSON C.A. & HALL F.J. Soluble and immobilized anti-Ig antibodies in the regulation of LPS-induced lymphoblasts, 71

TAJIMA S., NISHIMURA N. & ITO K. Suppression of delayed-type hypersensitivity mediated by macrophage-like cells in mice with experimental liver injury, 57
TANIGUCHI M. *see* TSURU S.
TASHIRO K. *see* HIRASHIMA M.
TAYLOR P.M., WRAITH D.C. & ASKONAS B.A. Control of immune interferon release by cytotoxic T-cell clones specific for influenza, 607
THORPE R. *see* SPITZ M.
TODHUNTER D.A. *see* ESKEW M.L.
TRAORE-LEROUX T. *see* FUMOUX F.
TRIEBEL F., GLUCKMAN J.-C., CHAPUIS F., CHARRON D. & DEBRE P. T-lymphocyte progenitors in man: phenotypic characterization of blood and bone marrow T-colony forming cells, 241
TSURU S., AISO S., TANIGUCHI M., ZINNAKA Y. & NOMOTO K. Mechanisms of *in vivo* generation of cytotoxic activity against syngeneic tumours. I. Local differentiation of mature cytotoxic T lymphocytes in the rejection of tumours, 281

ULLRICH S.E. Suppression of lymphoproliferation by hapten-specific suppressor T lymphocytes from mice exposed to ultraviolet radiation, 343

VAERMAN J.-P., DE RIJCK-LANGENDRIES A., RITS M. & DELACROIX D. Neutralization of cholera toxin by rat bile secretory IgA antibodies, 601
VAN SNICK J. *see* COUTELIER J.P.
VAREY A.M. *see* CHAMPION B.R.
VARKILA K. & HURME M. Natural killer (NK) cells and graft-versus-host disease (GVHD): no correlation between the NK cell levels and GVHD in the murine P→F_1 model, 121
VEERHUIS R., VAN ES L.A. & DAHA M.R. *In vivo* degradation of rat C1q induced by intravenous injection of soluble IgG aggregates, 801
VENAILLE T. *see* HOLT P.G.
VERBRUGH H.A., LEE D.A., ELLIOTT G.R., KEANE W.F., HOIDAL J.R. & PETERSON P.K. Opsonization of *Legionella pneumophila* in human serum: key roles for specific antibodies and the classical complement pathway, 643

WACHSMANN D., KLEIN J.P., SCHÖLLER M. & FRANK R.M. Local and systemic immune response to orally administered liposome-associated soluble *S. mutans* cell wall antigens, 189
WAINBERG M.A., SPIRA B., BOUSHIRA M. & MARGOLESE R.G. Inhibition by human T-lymphotropic virus (HTLV-I) of T-lymphocyte mitogenesis: failure of exogenous T-cell growth factor to restore responsiveness to lectin, 1
WALKER R.F. *see* JACKSON J.C.
WALTON K.W. *see* SALMON M.
WARREN D.J. & SANDERSON C.J. Production of a T-cell hybrid producing a lymphokine stimulating eosinophil differentiation, 615
WERNET P. *see* FALCIONI F.
WHALEY K. *see* LAPPIN D.
WIDDERS P.R., STOKES C.R., DAVID J.S.E. & BOURNE F.J. Specific antibody in the equine genital tract following systemic and local immunization, 763
WIGER D. & MICHAELSEN T.E. Binding site and subclass specificity of the herpes simplex virus type 1-induced Fc receptor, 565
WILLIAMS A.F. *see* JEFFERIES W.A.
WOOD C. *see* SPARSHOTT S.M.
WOOD P. & CHEERS C. Activation of non-specific cytotoxic cells in *Listeria*-susceptible and -resistant mouse strains, 113
WRAITH D.C. *see* TAYLOR P.M.

YAMANOUCHI K. *see* KAI C.
YASUMIZU R., ONOÉ K., IWABUCHI K., OGASAWARA M., GENG L. & MORIKAWA K. Analysis of contact sensitivity to 2,4-dinitrofluorobenzene (DNFB) in allogeneic bone marrow chimaera in mice, 149
YOSHIKAWA Y. *see* KAI C.
YOSHIMURA T. *see* HIRASHIMA M.
YOUNG P. *see* HOLT P.G.
YU D.T.Y. *see* OGASAWARA M.

ZANOVELLO P. *see* RONCHESE F.
ZARKOWER A. *see* ESKEW M.L.
ZEPF D.M. *see* CZOP J.K.
ZINNAKA Y. *see* TSURU S.

Subject Index

Activation and proliferation signals:
  in mouse B cells, 677
Adjuvanticity of *Klebsiella* O3 lipopolysaccharide, 317
Adjuvants:
  effect on uptake of antigen into afferent popliteal lymph of sheep, 487
Aggregated IgG:
  clearance and tissue localization in NZB/W and NZB mice, 439
Allergic encephalomyelitis:
  effect of sensitization of pregnant rats with encephalitogen on susceptibility of offspring to, 381
Allogeneic lymphocytes:
  rejected by NK activity, 127
Alveolar macrophages:
  activation by infection with *Nippostrongylus brasiliensis*, 581
Anaphylactic-like reactions:
  of intestinal epithelium in *T. spiralis*-infected guinea-pigs, 573
Anti-epithelial cell antibodies:
  monoclonal; detection of heterogeneity of human thymus, 745
Anti-fibronectin antibodies, monoclonal:
  specificities of, 407
Antigen uptake:
  effect of adjuvant, 487
Antigenic determinants of human thyroglobulin, 419
Antigenic relationship between α chain of C3, a leucocyte surface antigen and a B-cell antigen, 791
Anti-Ig antibodies:
  regulation of LPS-induced lymphoblasts, 71
Anti-μ and anti-δ, effects on mouse B cells, 677
Autoantibodies to erythrocytes:
  effects of cyclophosphamide and irradiation, 97

B-cell production and differentiation in rats, 79
Brugia malayi microfilariae:
  resistance to, induced by a monoclonal antibody, 655
BW 5147 subclones:
  selection of non-suppressive lines for cell hybridization, 363

C1q:
  in vivo degradation by i.v. injection of soluble IgG aggregates, 801
C3 deposition on immune complexes:
  inhibited by lactoferrin, 449
Cations:
  required for synthesis of C2 by human monocytes, 457
Chemotactic lymphokines:
  production suppressed by dexamethasone, 533
Cholera toxin:
  neutralization by rat bile secretory IgA antibodies, 601
Common variable immunodeficiency:
  B-cell function in, 877
Complement C2 synthesis:
  requirement for cations, 457
Complement C3:
  ontogeny in Japanese quails, 463
Con A-induced suppressor cells in sheep, 353
Contact sensitivity:
  cellular requirements for induction, 307
  macrophage-like suppressor cells, 297
  non-specific regulation, 297
  non-specific unresponsiveness, 307
  T suppressor afferent cell blocks antigen-specific T helper factor production, 521
Cytotoxic T lymphocytes:
  in vivo induction, 281

Delayed-type hypersensitivity:
  suppression by macrophage-like cells in mice with liver injury, 57
Delayed-type hypersensitivity effector cells:
  in murine gut mucosa, 771
Dexamethasone:
  suppression of Con A-induced production of chemotactic lymphokines, 533

Encephalitogen:
  effect on susceptibility to allergic encephalomyelitis, 381
Eosinophil differentiation factor:
  produced by a T-cell hybrid, 615
Equine genital tract:
  specific antibody induced by systemic and local immunization, 763

Fc receptor:
  induced by herpes simplex virus type 1, 565
Fc receptors on follicular dendritic cells, 777
Fibronectin:
  role in binding of DNA-anti-DNA complexes to the extracellular matrix, 389
Follicular dendritic cells:
  Fc receptors, 777

Glomerulonephritis:
  role of fibronectin in binding DNA-anti-DNA complexes, 389
Graft-versus-host disease and natural killer cells, 121
Growth factors:
  platelet-derived, epidermal effects on antigen-induced proliferation of human T-cell lines, 9
Gut mucosa, murine, appearance of DTH effector cells, 771

H_2O_2 production by macrophages:
enhanced by lymphokines, 35
Helper T cells in anti-tumour immunity, 289
Herpes simplex virus-1-induced Fc receptor:
binding site and subclass specificity, 565
Human anti-carbohydrate antibodies:
immunoglobulin subclass distribution, 821
Human mononuclear cells, helper and suppressor functions, 701
Human $T8^+$ antigen-presenting and contrasuppressor cells, 713
Human T-cell clones:
secretion of macrophage activating factors, 17
Human T-colony formation:
control by IL-2, 249
Human T-lymphotropic virus (HTLV-I):
inhibition of lymphocyte mitogenesis, 1
Human thymus microenvironment:
heterogeneity, 745
Human thyroglobulin:
antigenic determinants, 419
H-Y-specific T-cell clones:
help for T and B lymphocytes, 255

IgA antibody-containing cells:
distribution, 215
IgE synthesis in mice:
effect of oral sensitization with albumin extracts of Jack fruit seeds, 497
IgG aggregates:
in vivo degradation of C1q after i.v. injection, 801
IgG2a expression in normal and allotype-suppressed mice, 429
Immune interferon:
control of release from influenza-specific T-cell clones, 607
Immunoglobulin light chain V_KIIIb sub-group:
restricted association with mu heavy chain, 207
Immunoglobulin secretion:
suppressed by human T-cell clones, 685
Immunosuppression:
by passively administered antibody, 223
Interleukin-2:
control of human T-colony formation, 249
in vivo, 527
Interstitial lung cells:
preparation and characterization, 139
Iron deficiency:
effect on lymphocyte proliferation, 325

Klebsiella O3 lipopolysaccharide:
adjuvanticity of the lipopolysaccharide and its lipid A and polysaccharide fractions, 317

Lactation:
effect of transport of IgA into bile of sheep, 471
Lactoferrin:
inhibition of C3 deposition on immune complexes, 449
Lamina propria:
isotype of antibody-containing cells following intraintestinal infusion of antigen, 479
Legionella pneumophila:
opsonization, 643
role for specific antibodies and complement, 643
Liposome-associated *S. mutans* antigens:
local and systemic responses to orally administered, 89
Listeria monocytogenes infection:
activation of non-specific cytotoxic cells, 113
LPS-induced lymphoblasts:
regulation by anti-Ig antibodies, 71
Ly 1^+2^- suppressor T cells:
down-regulation of Ly 1^-2^+ effector T cells, 47
Lymphocyte emigration from lymph nodes:
in pigs and sheep, 105
Lymphocyte proliferation:
effect of iron deficiency, 325
Lymphocytes as delivery vehicles for ricin, 731
Lymphokine-enhanced H_2O_2 production, 35
Lymphokine production:
functional association with Lyt antigens, 25
Lymphokines:
induction of NK-like activity in T-cell clones, 265
Lyt antigens:
functional association with lymphokine production, 25

Macrophage activating factors:
secreted by human T-cell clones, 17
Macrophage activation:
enzymatic basis, 371
Macrophage cell surface sulphydryl groups:
role in endocytosis and recognition of immune complexes, 397
Macrophage-like suppressor cells:
in contact sensitivity, 297
in delayed-type hypersensitivity, 57
Maternal-fetal IgG transport in chickens, quantification, 755
Mixed lymphocyte culture:
expression of transferrin receptor by stimulated cells, 559
Monoclonal antibodies:
against *Brugia malayi* microfilariae, 655
Monoclonal anti-helper factor antibody:
augmentation of CMI *in vitro*, 693
Monoclonal rheumatoid factors:
binding of *in vivo* formed immune complexes, 401
Mononuclear phagocytes:
macrophage subpopulations recognized by monoclonal antibodies, 589
Mouse B cells:
distribution of membrane immunoglobulin, Fc receptors and Ia, 233
functional differences, 233
Mouse thyroglobulin:
autoreactive T-cell lines specific for, 513

Natural killer cells and graft-versus-host disease, 121
Neutrophil locomotion:
inhibition by polyamine oxidase, 785
Nippostrongylus brasiliensis:
activation of alveolar macrophages, 581
NK activity:
rejection of allogeneic lymphocytes, 127
NK-like activity:
in cytotoxic T-cell clones, induced by lymphokines, 265
Non-specific cytotoxic cells in *Listeria* infection, 113

Non-suppressive tumour cell lines:
selection for use in cell hybridization, 363
NZB/W and NZB mice:
clearance and tissue localization of soluble aggregates of IgG, 439

Opsonization:
of *Legionella pneumophila* in human serum, 643
role for specific antibodies and complement, 643
Oral dosing:
effects on IgE synthesis, 497

Passive antibody:
immunosuppressive effect on response to surface antigens on human cells, 223
Platelet factor 4:
inhibition of neutrophil uptake of N-formyl-met-leu-phe, 163
Polyamine oxidase:
inhibition of neutrophil locomotion, 785
Prostaglandin biosynthesis in macrophages, 155

Reactive arthritis, induced by bacteria, 665

Secretory component expression:
ontogeny in villous and crypt cells of rat small intestine, 181
Secretory IgA antibodies:
neutralization of cholera toxin, 601
Selenium deficiency:
effect on immune function, 173
Serotonin:
influence on the immune response, 505
Serum IgA:
effect of lactation on transport into bile of sheep, 471
Soluble immune complexes:
ingestion and degradation by guinea-pig macrophages and neutrophils, 811
Stem cells:
analysis with monoclonal antibody to the transferrin receptor, 333
Suppression in *Xenopus laevis:*
thymus inducer, spleen effector cells, 65
Suppressor T lymphocytes:
from UV-irradiated mice, 343

T-cell clones:
human, suppressing Ig secretion, 685
immunoregulation by, 255
reversibility of lymphokine-induced NK-like activity, 265
specific antigen-reactive, from nude mice injected with *Mesocestoides corti*, 275
specific to *Schistosoma mansoni*, 625
T-cell clones specific for influenza:
control of release of immune interferon, 607
T-cell hybrid:
producing an eosinophil differentiation factor, 615
T-cell lines:
autoreactive for mouse thyroglobulin, 513
effects of platelet-derived and epidermal growth factors, 9
T-colony forming cells in man:
phenotypic characterization, 241
Thymosin polypeptides:
as immunostimulators, 723
effect on murine MLR, 723
Tolerance induction in bone marrow chimaera, 149
Transferrin receptor:
analysis of lymphopoietic stem cells, 333
expression in mixed lymphocyte culture, 559
monoclonal antibody to, 333
Treponema pallidum:
axial filament antigen, 635
Trypanosoma brucei:
activation of bovine lymphocytes, 195
T suppressor afferent cell:
blocks antigen-specific T helper factor production, 521
Type B reticulum cell neoplasia:
phenotypic similarities between tumorigenic reticulum cells and normal accessory cells, 541

Ultraviolet irradiation:
hapten-specific suppressor T cells derived from irradiated mice, 343

Vitamin E deficiency:
effect on immune function, 173

Xenogeneic T cells:
lysis of H-2 negative embryonal carcinoma cells, 549